

according to 1907/2006/EC, Article 31

Printing date 23.04.2015 Version number 1 Revision: 23.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

COELAN Color paste - Trade name:

- 1.2 Relevant identified uses of the substance or mixture and uses advised

No further relevant information available.

- Application of the substance / the mixture Coolant with antifreeze

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: KEMPER SYSTEM GmbH & Co. KG

Holländische Strasse 32-36

34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110

E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: Research and Development

- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



 Signal word Warning

Hazard-determining components of

labelling:

Phenol, methylstyrolisiert - Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P273 Avoid release to the environment.

P321 Specific treatment (see on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PRT-Not applicable. - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:

CAS: 68512-30-1 Phenol, methylstyrolisiert 🕦 Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 EINECS: 270-966-8

Additional information: For the wording of the listed risk phrases refer to section 16.

25-50%



according to 1907/2006/EC, Article 31

Printing date 23.04.2015 Version number 1 Revision: 23.04.2015

Trade name: COELAN Color paste

(Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly. - After eye contact: Rinse opened eye for several minutes under running water.

If symptoms persist consult doctor. - After swallowing:

- 4.2 Most important symptoms and effects,

both acute and delayed

 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

Alcohol resistant foam

ABC powder

- 5.2 Special hazards arising from the

substance or mixture

- 5.3 Advice for firefighters

No further relevant information available.

 Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

- 6.2 Environmental precautions:

- 6.4 Reference to other sections

Keep away from ignition sources.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers).

- 6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols. Use only in well ventilated areas.

- Information about fire - and explosion

protection:

No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

Requirements to be met by storerooms and

receptacles:

No special requirements.

- Information about storage in one common

storage facility:

Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Storage class:

- 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of

technical facilities:

No further data; see item 7.

- 8.1 Control parameters

- Ingredients with limit values that require

monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 23.04.2015 Version number 1 Revision: 23.04.2015

Trade name: COELAN Color paste

(Contd. of page 2)

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

- Protection of hands:



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/

the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion

and the degradation

- Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to

be checked prior to the application. Recommended thickness of the material: ≥ 0.7 mm

Synthetic rubber gloves

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to

be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

Value for the permeation: Level ≤ 3

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing Impervious protective clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Viscous

Colour: According to product specification
Odour: Characteristic

- Odour threshold: Not determined.
- pH-value: Not determined.

- Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.
- Flash point: Not applicable.

- Flammability (solid, gaseous): Not applicable.

- Ignition temperature:

Decomposition temperature: Not determined.

Self-igniting: Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- Explosion limits:

Lower: Not determined.
Upper: Not determined.
- Density: Not determined.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 23.04.2015 Version number 1 Revision: 23.04.2015

Trade name: COELAN Color paste

		(Contd. of page 3)
- Relative density - Vapour density	Not determined. Not determined.	
- Evaporation rate	Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/water):	Not determined.	
- Viscosity: Dynamic: Kinematic at 23 ℃:	Not determined. 10000 s (DIN 53211/4)	
Solvent content:VOC (EC)9.2 Other information	0.00 % No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid - 10.5 Incompatible materials:

- 10.6 Hazardous decomposition products:

No decomposition if used according to specifications.

No dangerous reactions known.

No further relevant information available. No further relevant information available. No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity:

68512-30-1 Phenol, methylstyrolisiert

Oral LD50 >2000 mg/kg (rat) Dermal LD50 >2000 mg/kg (rat)

- Primary irritant effect: - on the skin:

on the eye: No irritating effect. - Sensitisation: Sensitisation possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU

Irritant to skin and mucous membranes.

Classification Guidelines for Preparations as issued in the latest version:

SECTION 12: Ecological information

- 12.1 Toxicity - Aquatic toxicity:

68512-30-1	Phenol,	methylstyrolisiert

EC50/48 h 14-51 mg/l (daphnia) ErC50 - OECD 201 15 mg/l (daphnia) LC50/96 h 25.8 mg/l (daphnia)

- 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

- Ecotoxical effects:

- Remark:

- Additional ecological information:

- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment

- PBT: - vPvB: Not applicable. Not applicable.

Harmful to fish

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 23.04.2015 Version number 1 Revision: 23.04.2015

Trade name: COELAN Color paste

- 12.6 Other adverse effects No further relevant information available (Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

 Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:

Disposal must be made according to official regulations. Recommendation:

SECTION 14: Transport information		
- 14.1 UN-Number - ADR, ADN, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR, ADN, IMDG, IATA	Void	
- 14.3 Transport hazard class(es) - ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards: - Marine pollutant:	No	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Annex II of MAF IBC Code	RPOL73/78 and the Not applicable.	
- UN "Model Regulation":	-	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture

No further relevant information available. - 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing MSDS: research & development Contact: research & development

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Abbreviations and acronyms:

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3